



Standard specifications for the Elling E4

Dimensions

| | | | |
|------------------------|-----------------|----------------------|----------------------|
| Length overall: | 14.95 | 48' | |
| Beam | 4.25 m | 14' | |
| Clearance : | 3.45 m | 12' | |
| Draft | 1.20 m | 4' | |
| Fuel: | 1500 ltr | 330 Gal (imp) | 400 Gal (USA) |
| Water: | 800 ltr | 200 Gal (imp) | 220 Gal (USA) |

Exterior Specifications

- CE Ocean classification A
- Hull in any colour
- Decorative striping on deck house
- Deck, white or cream
- Integrated deck water drains
- Integrated steps in Hull, Port & Starboard
- Transom Access by rear steps with comfortable enlarged teak steps
- Aft deck seating
- second seat on aft deck, integrated in railing with storage inside
- Diving platform
- Teak decking on diving platform



- Stainless steel access ladder
- wide Stainless steel heavy duty fender strip
- 800 mm high stainless steel handrails
- stainless steel hinged aft gate
- 6 stainless steel deck cleats
- Stainless steel flag poles
- Non skid deck surface
- Integrated forward sundeck
- Integrated forward seating
- Spray dodger around rear deck
- Integrated deck storage for 6 person life raft (and / or) mooring lines
- integrated deck storage for cleaning stuff (like buckets, waste bin etc)
- electric operated mast installation
- hot & cold transom shower
- tool set and first aid kit
- mooring lines and 4 fenders
- vacuum cleaner

Technical specifications

- Bowthruster (80 kgf)
- Electric anchor winch, operated from two positions
- Anchor fitted with 30 meters of chain
- Navigation lights
- Rear deck lights
- Side lights
- Cathodic protection by zinc anodes
- Black water tank
- Electric operated trim interceptors

Comfort and Safety



- Double glazing in deck saloon
- Tinted safety glass
- Venetian blinds in decksaloon
- 2 off escape hatches
- 10 portholes with screens
- front opening window
- rear opening window
- large electric operated power slideroof with pneumatic seal.
- automatic fire extinguisher in engine room
- two manual fire extinguishers
- fire alarm in engine room
- fire alarm in living area
- 2 automatic bilge pumps
- manual bilge pump
- Water alarm
- Engine bed integrally moulded with hull for maximum strength and vibration absorption
- excellent engine room insulation, existing of the following layers:
 - wood
 - rubber
 - foam
 - rubber
 - foam
 - aluminium
 - silicone
 - aluminium
 - foam

Drive and steering specifications



- high efficiency rudder
- Stainless steel Drive shaft
- 5 blade propellor
- water cooled Exhaust silencer
- Hydraulic steering system

Electric Specifications

- Invertor 220 V 1500 W
- Battery charger 50 A, 24 V
- Shore support with socket and 10 meter cable
- 24V board system
- Automatic switch over from shore power to invertor operation or (if applicable) generator operation
- Separate service batteries and engine bateries
- 4 times 200 Ah service gel batteries (maintenance free)
- 2 times 85 Ah dry light weight start batteries (maintenance free)
- possibility to switch electrical system from engine to service batteries
- several 220 V power points throughout boat
- Automatic circuit breakers on all 24V and 220 V Circuits up to 50 A
- Melt circuit breakers on all other (over 50 Amp) circuits
- Central main switch



Interior specifications :

General

- walls, doors and furniture fitted out with luxury cherry wood
- Luxury locks and hinges
- Upholstery and carpets schotch guarded
- large headroom throughout

Helm Saloon comprising of

- Helm seat in leather, mechanically sprung and fully adjustable
- Three windscreen wipers with adjustable intervall switch
- Luxury wooden steering wheel
- Engine instrument panel
- single lever engine control
- extensive switch panel with circuit breakers
- curved settee and table
- halogen lighting with dimmer
- Chart tray
- book case
- loudspeakers for radio
- Instrumentation, comprising of:
 - Led control panel
 - Rudder position indicator
 - water level indicator
 - fuel level indicator
 - alarms
 - Navigation equipment as ordered



Lower saloon comprising of

- halogen lighting with dimmer
- indirect lighting
- two table lamps (Freivokh design)
- cupboards all around
- curved settee and large table with nice decoration
- two luxury comfortable chairs
- Wide screen television in cherry furniture
- carpet on floor to choice of customer
- Radio
- overhead loudspeakers for Radio

Front Cabin

Lay out as ordered. (two single beds or double bed + settee)
halogen overhead lighting
bed reading lights
indirect lighting
bookshelf
large wardrobrobe

Owners cabin

halogen overhead lighting
bed reading lights
indirect lighting
Queen size bed with access on both sides
one hanging cupboard
two cupboards with shelves
two small cupboards
Large mirror
Entrance to second bathroom and storage



Side cabin

lay out as ordered (empty room, or two bunks or as office/single bed)

Overhead halogen lighting

bed reading lights (only if bed is applicable)

hanging cupboard

access hatch to engine room (alternator side)

Safe (under floor)

2 Heads Comprising of:

Overhead halogen lighting

Halogen lighting on worktop

Separate shower cubical

Luxury showerdoor in safety glass

Electrically operated head (full size)

Bathroom accessories

Heated towel rack (if central heating is ordered)

Laminate flooring in teak motive

Thermostatic shower control

Extraction fan

corian worktop

sink

Galley Comprising of:

two large Corian worktops on both sides of galley

double sink

four ring cooker

full size hob extractor

oven microwave

full size fridge freezer

wine cellar

scratch free laminate flooring with teak motive

several cupboards on both sides of galley